

# Indiana State Police Clandestine Laboratory Occurrence Report

This form complies with the statutory requirement set forth in IC 5-2-15-3.

Date: 02/02/2014

Address: 18007 15 B RD

Incident #: 14ISPC000882

CULVER, IN

County: MARSHALL

46511

## Type of Laboratory Seizure (check one)

- ☒ Operational Lab  
☐ Chemical/Glassware/Equipment (only)  
☐ Dumpsite (only)

## Seizure Location (check all that apply)

- ☒ Residence ☐ Hotel/Motel  
☐ Outbuilding ☐ Open – No Structure  
☐ Vehicle ☐ Other: \_\_\_\_\_

## Items Found: Location (bedroom, kitchen, open air, etc)

(check all that apply)

☒ One Pot or Birch Reaction(s): GARAGE

☐ Red Phosphorous/Iodine Reaction(s): \_\_\_\_\_

☒ Hydrochloric Acid Gas Generator(s): OUTSIDE BEHIND SHED IN WOOD PILE

☒ Flammable Solvents: BASEMENT, SUSPECT "BEDROOM"

☐ Water Reactive Metal (Lithium): \_\_\_\_\_

☐ Anhydrous Ammonia: \_\_\_\_\_

☐ Corrosive Acid: \_\_\_\_\_

☒ Corrosive Base: BASEMENT, SUSPECT "BEDROOM"

☐ Other (item and location): \_\_\_\_\_

## Vehicle Information:

Owner: JONATHON ULERY  
VIN: KL5JD56296K362553  
Year: 2006

Make: SUZUKI  
Model:

## Child under age 18 discovered (check appropriate)

- ☒ Yes \_\_\_\_\_ (number present)  
☐ No  
☐ Children not present but evidence they reside  
or visit often

Living conditions of home: ☐ clean ☐ disarray  
☒ unclean

Estimated length of time manufacturing had been  
occurring: UNKNOWN

Additional Information: \_\_\_\_\_

## This report has been faxed\* or emailed to the following agencies that serve the location:

Fire Department City, Township or County CULVER VFD Fax: 574-842-3516

Health Department County: MARSHALL Fax: 574-936-9247

Department of Child Services Hotline: [dcshotlinereports@dcsc.in.gov](mailto:dcshotlinereports@dcsc.in.gov) Fax: 317-234-7595 or 317-234-7596

For further information regarding this methamphetamine laboratory, contact

Investigating Officer: DEAL Phone 574-546-4900

\*This form is to be faxed to the Fire Department, Health Department and/or Department of Child Services listed within 24 hours of scene processing.